

## PHP Version 5.3.3

<b>System</b>	Linux server.domain.corp 2.6.32-431.23.3.el6.x86_64 #1 SMP Wed Jul 16 06:12:23 EDT 2014 x86_64
<b>Build Date</b>	Jul 15 2014 08:48:40
<b>Configure Command</b>	'./configure' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-tzdata' '--with-apxs2=/usr/sbin/apxs' '--without-mysql' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-pdo' '--disable-xmlreader' '--disable-xmlwriter' '--without-sqlite3' '--disable-phar' '--disable-fileinfo' '--disable-json' '--without-openssl' '--disable-wddx' '--without-curl' '--disable-posix' '--disable-sysvmsg' '--disable-sysvshm' '--disable-sysvsem'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/etc
<b>Loaded Configuration File</b>	/etc/php.ini
<b>Scan this dir for additional .ini files</b>	/etc/php.d
<b>Additional .ini files parsed</b>	/etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mcrypt.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/propro.ini, /etc/php.d/radius.ini, /etc/php.d/raphf.ini, /etc/php.d/snmp.ini, /etc/php.d/sqlite3.ini, /etc/php.d/svn.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zip.ini
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS

<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*, http.*



This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies

---

## PHP Credits

---

## Configuration

### apache2handler

<b>Apache Version</b>	Apache/2.2.15 (Red Hat)
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	root@localhost
<b>Hostname:Port</b>	server.domain.corp:0
<b>User/Group</b>	apache(48)/48
<b>Max Requests</b>	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
<b>Timeouts</b>	Connection: 60 - Keep-Alive: 15
<b>Virtual Server</b>	Yes
<b>Server Root</b>	/etc/httpd
<b>Loaded Modules</b>	core prefork http_core mod_so mod_auth_basic mod_auth_digest mod_authn_file mod_authn_alias mod_authn_anon mod_authn_dbm mod_authn_default mod_authz_host mod_authz_user mod_authz_owner mod_authz_groupfile mod_authz_dbm

	mod_authz_default util_ldap mod_authnz_ldap mod_include mod_log_config mod_logio mod_env mod_ext_filter mod_mime_magic mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_actions mod_speling mod_userdir mod_alias mod_substitute mod_rewrite mod_proxy mod_proxy_balancer mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_connect mod_cache mod_suexec mod_disk_cache mod_cgi mod_version mod_fcgid mod_perl mod_php5 mod_ssl mod_dav_svn mod_authz_svn
--	---

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	Value
HTTP_HOST	server.domain.corp
HTTP_CONNECTION	keep-alive
HTTP_CACHE_CONTROL	max-age=0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/39.0.2171.95 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip, deflate, sdch
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.8
HTTP_COOKIE	ckey=0eee1cc723bc7ffb91ac91af374c722a; dkey=4cf1a922fea0f4e203c071bafdd98d63; OBSID=584874c0c2ac7b9bc86943078f121ef7a7fa1599
PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache/2.2.15 (Red Hat) Server at server.domain.corp Port 80</address>
SERVER_SOFTWARE	Apache/2.2.15 (Red Hat)
SERVER_NAME	server.domain.corp
SERVER_ADDR	10.0.11.125
SERVER_PORT	80
REMOTE_ADDR	10.5.130.189
DOCUMENT_ROOT	/opt/observium/html/
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/opt/observium/html/check_php.php
REMOTE_PORT	61826
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>

<b>REQUEST_URI</b>	/check_php.php
<b>SCRIPT_NAME</b>	/check_php.php

## HTTP Headers Information

HTTP Request Headers	
<b>HTTP Request</b>	GET /check_php.php HTTP/1.1
<b>Host</b>	server.domain.corp
<b>Connection</b>	keep-alive
<b>Cache-Control</b>	max-age=0
<b>Accept</b>	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
<b>User-Agent</b>	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/39.0.2171.95 Safari/537.36
<b>Accept-Encoding</b>	gzip, deflate, sdch
<b>Accept-Language</b>	en-US,en;q=0.8
<b>Cookie</b>	ckey=0eee1cc723bc7ffb91ac91af374c722a; dkey=4cf1a922fea0f4e203c071bafdd98d63; OBSID=584874c0c2ac7b9bc86943078f121ef7a7fa1599
HTTP Response Headers	
<b>X-Powered-By</b>	PHP/5.3.3
<b>Connection</b>	close
<b>Transfer-Encoding</b>	chunked
<b>Content-Type</b>	text/html; charset=UTF-8

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bz2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.5, 10-Dec-2007

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## Core

PHP Version	5.3.3
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	<i>no value</i>	<i>no value</i>
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000

html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/php	./usr/share/pear:/usr/share/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	0	0
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	/usr/bin	/usr/bin
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On

<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	2M	2M
<b>upload_tmp_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	EGPCS	EGPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>y2k_compliance</b>	On	On
<b>zend.enable_gc</b>	On	On

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.19.7
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	Yes
<b>IDN</b>	Yes
<b>IPv6</b>	Yes
<b>Largefile</b>	Yes
<b>NTLM</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>krb4</b>	No
<b>libz</b>	Yes
<b>CharConv</b>	No

<b>Protocols</b>	ftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
<b>Host</b>	x86_64-redhat-linux-gnu
<b>SSL Version</b>	NSS/3.15.3
<b>ZLib Version</b>	1.2.3
<b>libSSH Version</b>	libssh2/1.4.2

## date

**Warning:** phpinfo() [[function.phpinfo](#)]: It is not safe to rely on the system's timezone settings. You are *\*required\** to use the date.timezone setting or the date\_default\_timezone\_set() function. In case you used any of those methods and you are still getting this warning, you most likely misspelled the timezone identifier. We selected 'America/New\_York' for 'EST/-5.0/no DST' instead in **/opt/observium/html/check\_php.php on line 1**

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	0.system
<b>Timezone Database</b>	internal
<b>Default timezone</b>	America/New_York

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

## dom

<b>DOM/XML</b>	enabled
<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.7.6
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled
<b>Schema Support</b>	enabled
<b>RelaxNG Support</b>	enabled

## ereg



Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

## fileinfo

fileinfo support	enabled
version	1.0.5-dev

## filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

## ftp

FTP support	enabled
-------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.3.11
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPEG Support</b>	enabled
<b>libJPEG Version</b>	6b
<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.2.49
<b>WBMP Support</b>	enabled
<b>XPM Support</b>	enabled
<b>XBM Support</b>	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## gmp

<b>gmp support</b>	enabled
<b>GMP version</b>	4.3.1

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## http

<b>HTTP Support</b>	<b>enabled</b>
<b>Extension Version</b>	2.0.7

Used Library	Compiled	Linked
libz	1.2.3	1.2.3
libcurl	disabled	disabled
libevent	disabled	disabled

Directive	Local Value	Master Value
http.etag.mode	crc32b	crc32b

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## ldap

<b>LDAP Support</b>	enabled
<b>RCS Version</b>	\$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye \$
<b>Total Links</b>	0/unlimited
<b>API Version</b>	3001
<b>Vendor Name</b>	OpenLDAP
<b>Vendor Version</b>	20423
<b>SASL Support</b>	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

## libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

## mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

## mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8

<b>Api No</b>	20021217
<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
<b>mcrypt.algorithms_dir</b>	<i>no value</i>	<i>no value</i>
<b>mcrypt.modes_dir</b>	<i>no value</i>	<i>no value</i>

## mysql

MySQL Support	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API version</b>	5.1.73
<b>MYSQL_MODULE_TYPE</b>	external
<b>MYSQL_SOCKET</b>	/var/lib/mysql/mysql.sock
<b>MYSQL_INCLUDE</b>	-I/usr/include/mysql
<b>MYSQL_LIBS</b>	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
<b>mysql.allow_local_infile</b>	On	On
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	60	60
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_socket</b>	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

## mysql

Mysql Support	enabled
<b>Client API library version</b>	5.1.73
<b>Active Persistent Links</b>	0
<b>Inactive Persistent Links</b>	0

Active Links	0
Client API header version	5.1.73
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## PDO

PDO support	enabled
PDO drivers	mysql, sqlite

## pdo\_mysql

<b>PDO Driver for MySQL</b>	<b>enabled</b>
Client API version	5.1.73

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
SQLite Library	3.6.20

## Phar

<b>Phar: PHP Archive support</b>	<b>enabled</b>
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 298908 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

## posix

Revision	\$Revision: 300764 \$
----------	-----------------------

## propro

<b>Property proxy support</b>	<b>enabled</b>
Extension version	1.0.0

## radius

radius support	enabled
version	1.2.7

## raphf

Resource and persistent handle factory support	enabled
Extension version	1.0.4

Persistent handles in this process			
Provider	Ident	Used	Free

Directive	Local Value	Master Value
raphf.persistent_handle.limit	-1	-1

## Reflection

Reflection	enabled
Version	\$Revision: 300393 \$

## session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>



session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

## shmop

shmop support	enabled
---------------	---------

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299424 \$
Schema support	enabled

## snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.5

## sockets

Sockets Support	enabled
-----------------	---------

## SPL

SPL	enabled
-----	---------

<b>support</b>	
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

<b>SQLite3 support</b>	<b>enabled</b>
SQLite3 module version	0.7-dev
SQLite Library	3.6.20

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

## standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

## svn

<b>svn support</b>	<b>enabled</b>
svn client version	1.6.11
svn extension version	1.0.2

## sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 293036 \$

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## wddx

<b>WDDX Support</b>	<b>enabled</b>
WDDX Session Serializer	enabled

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

## xmlreader

XMLReader	enabled
-----------	---------

## xmlwriter

XMLWriter	enabled
-----------	---------

## xsl

XSL	enabled
-----	---------

libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.26

## zip

Zip	enabled
Extension Version	\$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$
Zip version	1.9.1
Libzip version	0.9.0

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
sysvsem
sysvshm

## Environment

Variable	Value
TERM	vt100
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/
LANG	C

SHLVL	2
_	/usr/sbin/httpd

## PHP Variables

Variable	Value
_REQUEST["ckey"]	0eee1cc723bc7ffb91ac91af374c722a
_REQUEST["dkey"]	4cf1a922fea0f4e203c071bafdd98d63
_REQUEST["OBSID"]	584874c0c2ac7b9bc86943078f121ef7a7fa1599
_COOKIE["ckey"]	0eee1cc723bc7ffb91ac91af374c722a
_COOKIE["dkey"]	4cf1a922fea0f4e203c071bafdd98d63
_COOKIE["OBSID"]	584874c0c2ac7b9bc86943078f121ef7a7fa1599
_SERVER["HTTP_HOST"]	server.domain.corp
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/39.0.2171.95 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
_SERVER["HTTP_COOKIE"]	ckey=0eee1cc723bc7ffb91ac91af374c722a; dkey=4cf1a922fea0f4e203c071bafdd98d63; OBSID=584874c0c2ac7b9bc86943078f121ef7a7fa1599
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.15 (Red Hat) Server at server.domain.corp Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.15 (Red Hat)
_SERVER["SERVER_NAME"]	server.domain.corp
_SERVER["SERVER_ADDR"]	10.0.11.125
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	10.5.130.189
_SERVER["DOCUMENT_ROOT"]	/opt/observium/html/
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/opt/observium/html/check_php.php
_SERVER["REMOTE_PORT"]	61826
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/check_php.php
_SERVER["SCRIPT_NAME"]	/check_php.php
_SERVER["PHP_SELF"]	/check_php.php

<code>_SERVER["REQUEST_TIME"]</code>	1419011204
<code>_SERVER["argv"]</code>	Array ( )
<code>_SERVER["argc"]</code>	0
<code>_ENV["TERM"]</code>	vt100
<code>_ENV["PATH"]</code>	/sbin:/usr/sbin:/bin:/usr/bin
<code>_ENV["PWD"]</code>	/
<code>_ENV["LANG"]</code>	C
<code>_ENV["SHLVL"]</code>	2
<code>_ENV["_"]</code>	/usr/sbin/httpd

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).